



# HSM SECURIO C16 - 1/8"




## HSM SECURIO C16 document shredder

Small, sleek and secure. A great shredder for private use or in a small office. With cutting rollers made from hardened steel and a pressure-sensitive safety element.

### Technical data

<b>Order number:</b>	1900113	<b>Intake width:</b>	8.86"
<b>EAN</b>	4026631039338	<b>Container volume / collecting:</b>	6.6 gal
<b>Cutting type:</b>	strip cut	<b>Collection volume in sheets (80 g):</b>	225
<b>Cutting size:</b>	1/8"	<b>Noise level (idle operation):</b>	ca. 55 - 60 dB(A)
<b>Security level (DIN 66399):</b>	E-2   P-2   T-2	<b>Width x Depth x Height:</b>	14.41" x 10.16" x 17.91"
<b>Cutting capacity in sheets 80g/m<sup>2</sup>:</b>	12 - 14	<b>Weight:</b>	8.82 lb
<b>Power consumption:</b>	160 W	<b>Shredder material:</b>	Paper, Staples and paper clips, Credit card
<b>Voltage / Frequency:</b>	110-130 V / 60 Hz		

### Product information



The hardened steel cutting rollers with a lifetime warranty can easily cope with staples and paper clips and guarantee durability.



In stand-by mode, the document shredder does not consume any power.




To empty the waste container, the housing top can be easily removed – a practical, recessed grip facilitates handling.





### Quiet operation

The quiet operating mode minimises noise development in the workplace which is an important consideration for your staff.



### Blue Angel

The document shredder has been awarded the Blue Angel certificate for its durable construction, low energy consumption and the use of environmentally friendly materials.



### Anti-paper jam function

The paper feed with overload protection reduces paper jams and sustains the high throughput of paper.



### High level of user safety

User safety is paramount. A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



### Automatic start/stop

The operation is very easy: the device starts automatically when fed paper and automatically stops after shredding is complete.

